PIXMATS5350a series CHIC 3-IN-1 FOR THE SMARTPHONE

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.



SAVVY





· Style credentials

An ultra-cool 2-tone colour scheme and a chic minimalist design with LED status bar give this printer some solid style points

· There's an app for that

Print, scan, copy and connect to Facebook, Instagram and other cloud* accounts from your smartphone using the Canon PRINT app, or print app-free with AirPrint (iOS) and Mopria (Android)

Make it your own

Transform your next project with Easy-PhotoPrint Editor, Creative Park and try out restickable, double-sided matte and iron-on transfer media

Shareworthy snaps

Get picture-perfect photos with up to 100 years of album life thanks to FINE cartridges and the ChromaLife100 ink system. The 5x5" and 3.5x3.5" media are ideal for social media snaps

· Hassle-free

Get to grips with your printer with easy set-up, a simple 1.44" OLED display and connect all your smart devices at the touch of a button with Wireless Connect



Auto 2-sided Print









PIXMA TS6350a Series

PIXMA TS8350a Series

PIXMA TS5350a Series

PIXMA TS3350 Series

PRODUCT RANGE



PIXMA TS8350a Series



PIXMA TS5350a Series



PIXMA TS3350 Series



^{*} Scan to cloud is only available to genuine Canon ink users

TECHNICAL SPECIFICATIONS

PIXMA TS5350a series

GENERAL SPECIFICATIONS

Model Numbers

PIXMA TS5350a (BLACK)
PIXMA TS5351a (WHITE)
PIXMA TS5352a (PINK)
PIXMA TS5353a (GREEN)
PIXMA TS5355a (BLACK)
Wi-Fi, Print, Copy, Scan, Cloud

Functions

PRINTER SPECIFICATIONS

Print Resolution
Print Technology

Mono Print Speed Colour Print Speed

Photo Print Speed
Borderless Printing

Two Sided Printing

CARTRIDGES AND YIELDS Standard Ink Cartridges

Optional XL Ink Cartridges

Cartridge Yield (Plain paper)

Ink Tanks Yield (Photo print)

PAPER SUPPORT

Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

Up to 4800 ^[1] x 1200 dpi

2 FINE Cartridges (Black and Colour)

Approx. 13.0 ipm ^[2] Approx. 6.8 ipm ^[2]

Borderless 10x15cm: Approx. 43 seconds ^[2] Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm,

13x13cm, 8.9x8.9cm)

Auto Duplex Print (A4, A5, B5, Letter - plain paper)

PG-560 (Black) CL-561 (Colour) PG-560XL (Black) CL-561XL (Colour)

A4 colour documents printing [3]

Black: 180 pages
Black XL: 400 pages
Colour: 180 pages
Colour XL: 300 pages
10x15cm photo [P]
Black: 2152* photos
Black XL: 4973* photos
Colour: 69 photos
Colour XL: 106 photos

* Estimated supplemental yield

Plain Paper

Canon High Resolution Paper (HR-101N)
Canon Pro Platinum (PT-101)

Canon Plus Glossy II (PP-201)
Canon Pro Luster (LU-101)
Canon Plus Semi-gloss (SG-201)
Canon "Everyday Use" (GP-501)
Canon Matte (MP-101)
Envelopes

Envelopes Removable Photo Stickers (RP-101) Magnetic Photo Paper (MG-101) Double sided Matte (MP-101D) Light Fabric Iron-on transfers (LF-101) Dark Fabric Iron-on transfers (DF-101)

Rear Tray: Max. 20 sheets (photo paper) or

Max. 100 sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper)

Rear Tray:

A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/ 13x13cm/8.9x8.9cm, Envelopes(DL,COM10) [Custom size] width 55mm - 215.9 mm,

length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR

[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Rear Tray: Plain paper 64 - 105 g/m², Canon photo

paper up to 300 g/m² Front Cassette: Plain Paper: 64-105 g/m² SCANNER SPECIFICATIONS

Scanner Type
Scanner Resolution (Optical)
Scanning Depth

(Input / Output)

Maximum Document Size

COPIER SPECIFICATIONS

Copy Speed

Multiple Copy Copy Functions

Copy Zoom

INTERFACE
Display Type & Size
Display Languages

Interface Type - PC / Mac

Interface Type - Other

CIS flatbed photo and document scanner

1200 x 2400 dpi [4]

Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit 216 x 297 mm

sFCOT: Approx. 4.0 ipm ^[5] sESAT: Approx. 20 sec ^[5] 99 copies max.

Document Copying, Photo Copying, 2-sided copy,

2-on-1

25 - 400% (in 1% increments)

Fit to page

OLED (1.44 inch)

33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/ Portuguese/Nowegian/Swedish/Danish/Finnish/ Russian/Czech/Hungarian/Polish/Slovene/Turkish/ Greek/Simplified Chinese/Traditional Chinese/ Korean/Indonesian/Slovakian/Estonian/Latvian/ Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/

Croatian/Vietnamese Hi-Speed USB (B Port) Wi-Fi: IEEE802.11 b/g/n

WI-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz

Canon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor

Easy-PhotoPrint Editor PIXMA Cloud Link

Canon Print Service Plugin (Android)

Google Cloud Print Apple AirPrint Wireless Direct Access Point Mode WLAN PictBridge Mopria (Android)



TECHNICAL SPECIFICATIONS

PIXMA TS5350a series

SOFTWARE

Supported Operating Systems

Supported Mobile Systems Minimum System Requirements

Software Included

PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Recommended Operating Environment Power Source Power Consumption

Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.
OS X 10.11.6, macOS 10.12~macOS 10.14

iOS, Android, Windows 10 Mobile

Windows: 2.0GB or more Mac: 1.0GB or more

Note: for bundled software installation. The necessary amount of hard disk space required. Display: 1024 x 768 XGA

MP Driver including Scanning Utility Easy-PhotoPrint Editor (download)

approx. 6.3 kg

approx. 403 x 315 x 148 mm

approx. 43.5(A) [6

Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation)

AC 100-240V, 50/60Hz

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 0.9W

(scanning lamp off)
Standby (all ports connected): Approx. 1.7W (scanning lamp is off)
Time to enter Standby mode: 11 min 7sec
Copying: Approx. 19W [7]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
- SITI IDIEST NODE, ISO/IEC 24/34.
 Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus
 Glossy II and does not take into account data processing time on host computer.

 [3] Declared yield value in accordance with ISO/IEC 24/711 standard. Values obtained by
- continuous printing.
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- (6) Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [8] Some colours may not be available in your region.
- [9] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printina.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

All brand and product names are trademarks of their respective companies. Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

> Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2022



CHIC 3-IN-1 FOR THE SMARTPHONE SAVVY

PIXMA TS5350a series

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.

Sales Start Date: TBC



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA T\$5350a EUR BLACK	3773C106AA	4549292197853	<please fill="" in="" rrp=""></please>
PIXMA T\$5351 a EUR WHITE	3773C126AA	4549292197914	<please fill="" in="" rrp=""></please>
PIXMA TS5352a EUR PINK	3773C146AA	4549292197945	<please fill="" in="" rrp=""></please>
PIXMA T\$5353a EUR GREEN	3773C166AA	4549292197990	<please fill="" in="" rrp=""></please>
PIXMA T\$5355a EUR2 BLACK	3773C196AA	4549292198027	<please fill="" in="" rrp=""></please>

CONSUMABLES:

Mercury Code	EAN Code	Recommended Retail Price	
3713C001AA	4549292144642	<please fill="" in="" rrp=""></please>	
3731C001AA	4549292145038	<please fill="" in="" rrp=""></please>	
3712C001AA	4549292144628	<please fill="" in="" rrp=""></please>	
3730C001AA	4549292145014	<please fill="" in="" rrp=""></please>	
	3713C001AA 3731C001AA 3712C001AA	3713C001AA 4549292144642 3731C001AA 4549292145038 3712C001AA 4549292144628	



CHIC 3-IN-1 FOR THE SMARTPHONE SAVVY

PIXMA TS5350a series

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS5351a EUR WHITE 3773C126A. PIXMA TS5352a EUR PINK 3773C146A. PIXMA TS5353a EUR GREEN 3773C166A.	3773C106AA	Individual	1	477	223	481.5	7.7	5.5
	3773C146AA 3773C166AA	Pallet (Upper)	20	1123	962	967.5	167	128.4
	3773C196AA	Pallet (Bottom)	30	1123	962	1449	249.5	191.6

What's in the box?

- All-in-one printer PIXMA TS5350a Series
- FINE cartridges
- · Power cord
- Set-up CD-ROM
- Manuals

Canon

